NAME: CANTEADOR



CANTEADOR - Self-shining varnish for granite and marble edges

Solvent based varnish which provides a high level of shine on small marble and granite surfaces, being indicated for the edges and corners of bathroom and kitchen tops, tables, decorative elements, vases, sculptures, etc. One only application is enough to get a brilliant result.

INSTRUCTIONS OF USE

The surface must be clean and dry. Do not mix or dilute with other products. Apply on the surface by using a piece of cloth impregnated with the product and let it dry. In a few minutes, the treated surface will show a lasting shiny look.

CLP Regulation (EC) nº 1272/2008:

DANGER







Hazard indications::

Eye Irrit. 2: H319 - Causes serious eye irritation

Flam. Liq. 2: H225 - Highly flammable liquid and vapour

Skin Irrit. 2: H315 - Causes skin irritation

STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure

through ingestion

STOT SE 3: H336 - May cause drowsiness or dizziness

Cautionary advice:

P101: If medical advice is needed, have product container or label at hand

P102: Keep out of reach of children

P103: Read label before use

P280: Wear protective gloves/protective clothing/eye protection/face protection

P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated

clothing. Rinse skin with water/shower

P304+P340: IF INHALED: Remove victim to fresh air and keep at rest in a position

comfortable for breathing

The information contained in this security data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this security data sheet only refers to this product, which should not be used for needs other than those specified.



P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing

P362: Take off contaminated clothing and wash before reuse

P370+P378: In case of fire: Use ABC powder extinguisher to put it out

P501: Dispose of the contents/containers in accordance with the current legislation on waste

treatment

FIRST AID MEASURES

Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort

By inhalation:

Remove the person affected from the area of exposure, provide with fresh air and keep at rest. In serious cases such as cardiorespiratory failure, artificial resuscitation techniques will be necessary (mouth to mouth resuscitation, cardiac massage, oxygen supply,etc.) requiring immediate medical assistance.

By skin contact:

Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of infection.

By eye contact

Rinse eyes thoroughly with water for at least 15 minutes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, as this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the MSDS of the product.

By consumption:

Do not induce vomiting, but if it does happen keep the head up to avoid inhalation. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

STORAGE

Precautions for safe handling:

A.- Precautions for safe manipulation

Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, manipulation and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products.

C.- Technical recommendations to prevent ergonomic and toxicological risks

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product

Technical measures for storage

Max. Time: 12 months

T^a min: 5 °C **T**^a max 30 °C

General conditions for storage: Avoid sources of heat, radiation, static electricity and contact with food

PROPERTIES

Appearance:	
Physical state at 20 °C:	Liquid
Appearance:	Characteristic
Color:	Characteristic
Odor:	Characteristic
Volatility:	
Boiling point at atmospheric pressure:	102 ºC
Vapour pressure at 20 °C:	4364 Pa
Vapour pressure at 50 °C:	17372 Pa (12 kPa)
Evaporation rate at 20 °C:	Non-applicable *
Product description:	
Density at 20 °C:	939 kg/m ³
Relative density at 20 °C:	0,939
Dynamic viscosity at 20 a 20 °C:	Non-applicable *
Kinematic viscosity 20 °C:	Non-applicable *
Kinematic viscosity at 40 °C:	Non-applicable *
Concentration:	Non-applicable *
pH:	Non-applicable *
Vapour density at 20 °C:	Non-applicable *
Partition coefficient n-octanol/water 20 °C:	Non-applicable *
Solubilidad en agua a 20 ºC:	Non-applicable *
Propiedad de solubilidad:	Non-applicable *
Temperatura de descomposición:	Non-applicable *
Flammability:	
Flash Point:	3 ₀ C
Autoignition temperature:	427 ºC
Lower flammability limit:	Non-applicable *
Upper flammability limit:	Non-applicable *

^{*} Not relevant due to the nature of the product, not providing information property of its hazards.