

ABRASIVOS AGUILA

EASY-DIAM[®]

restoration pads

THE **3** STEPS TO SUCCEED

THIS IS the **easiest** SYSTEM TO RESTORE ALL KIND OF
MARBLE FLOORS IN **only three steps**

PAD#1 GRINDING

It removes deep scratches, dirt and chemical residues of previous treatments from the marble surface. *Preferable wet use.*

PAD#2 SMOOTHING

It gets the surface completely smooth, eliminating all the light scratches made by pad #1. *Preferable wet use.*

PAD#3 PRE-CRYSTALLIZING

It gets the natural shine from the marble, leaving the surface ready for final ultra-brilliant crystallization. *Dry/wet use.*

SUITABLE FOR ALL KIND OF POLISHING
AND AUTO-SCRUBBING MACHINES.

no PREVIOUS EXPERIENCE REQUIRED
GETTING THE BEST PROFESSIONAL RESULTS.



MADE IN SPAIN by

Abrasivos Aguila, S.A - Riera de Palau, 13 - PO BOX 52
08740 Sant Andreu de la Barca - Barcelona - Spain
Tel. 0034 93 653 30 58 - Fax: 0034 93 682 10 40
www.abrasivosaguila.com - info@abrasivosaguila.com

EASY DIAM®: RESTORATION PADS

WHAT ARE EASY-DIAM® PADS?

EASY-DIAM® restoration pads are based in a new technology which consists in the application of a special resin mixed with high-abrasivity diamond powder which becomes integrated among the fiber filaments of the pad, shaping three or four diamond sectors, regularly disposed over the working side of the pad, and infiltrated inside up to 5 mm. deep.

This composition allows the pad to work in a totally flexible way on all kind of marble floors, adapting itself to all the irregularities of the surface, and completely avoiding the risk of breaking or detaching the diamond parts.

EASY-DIAM® restoration system consists in three discs of high, medium and low grinding power, with the following characteristics

PAD #1 (red sectors): highly abrasive pad to be used on very damaged marble or terrazzo floors, will remove deep scratches, stains and other imperfections from the surface.

PAD #2 (yellow sectors): medium abrasive pad for the removal of small and light scratches and those made by pad #1, leaving a completely smooth and well prepared surface.

PAD #3 (blue sectors): low abrasive pad for the final polishing work, enhancing the natural colours of the marble and providing a highly brilliant finish, also used for daily maintenance.

WICH EASY-DIAM® PADS SHOULD I USE?

The pads should be successively used, following the numerical order 1 - 2 - 3. Start with pad #1 on damaged floors and with pad #2 on slightly worn floors.

Afterwards, always use pad #3 for finishing. For daily maintenance of polished floors which don't require a deep restoration, just use pad #3.

WHAT MACHINE CAN I USE?

EASY-DIAM® pads are made in the most usual diameters and can be used with any of the floor polishing machines available in the market.

They can work into a range speed from 150 rpm up to 400 rpm. Pad #3 can be also used with auto-scrubbing machines for fast maintenance of large areas.

HOW CAN I USE EASY-DIAM® PADS

PADS #1 Y #2

- 1- Spread some water on the area to treat.
- 2- Fit the pad on the driving plate of the polishing machine and make successive passes in both vertical and horizontal ways covering an area of aprox. 2 sq. meters, at the rate of one minute per square meter. (*)
- 3- Once finished the work, vacuum all the mud and ensure that no residues remain on the floor before starting with the following pad.

DISCO #3

Use it in the same way as pads #1 and #2 but without spreading water on the floor. Just buff the surface until achieving the required brilliant finish.

HOW CAN I KEEP EASY-DIAM® PADS ALWAYS IN GOOD CONDITIONS?

Immediately after finishing the work, always clean the pads with water to remove all the residues and to avoid their solidification into the diamond and/or fiber parts of the pad, which would decrease its abrasive capacity for later uses.

The pads keep their abrasive capability until the diamond parts (coloured sectors) are completely gone.

() The working time per square meter is an orientate ratio. It may changes depending on the hardness of the surface, level of deterioration, type of machine used, etc.*

SIZES AVAILABLE:

DIAMETER		DIAMOND SECTORS
Ø300mm	Ø12"	3
Ø330mm	Ø13"	3
Ø410mm	Ø16"	3
Ø430mm	Ø17"	3
Ø460mm	Ø18"	4
Ø500mm	Ø20"	4