




**ABRASIVOS AGUILA**  
stone care products

# Ficha Técnica SEMIFLEXIBLE Ø178




The semiflexibles SAGAR®-FLEX are abrasives discs provide a high abrasive ability due to the top-quality raw materials used in their production, enabling them to be used for any kind of grinding and smoothing work in a wide range of industrial applications

<b>Use</b>	Any grinding work
<b>Materials</b>	marble – granite – stones – terrazzo – concrete – plastics – polyester – porcelain – cast iron
<b>Composition</b>	Silicon carbide + resins + mineral charges
<b>Fastening</b>	Fixation with flange - ALWAYS use with backup plate
<b>Machine</b>	Hand polisher
<b>Grits</b>	SC (silicon carbide) 16, 24, 36, 60, 80, 120 SCV (Green silicon carbide) 100, 180 – only curved
<b>Use</b>	CR (curved) ó PL (flat)
<b>r.p.m máx</b>	6.500 r.p.m



**ABRASIVOS AGUILA**  
stone care products

## Ficha Técnica SEMIFLEXIBLE Ø127



The semiflexibles SAGAR®-FLEX are abrasives discs provide a high abrasive ability due to the top-quality raw materials used in their production, enabling them to be used for any kind of grinding and smoothing work in a wide range of industrial applications


<b>Use</b>	Any grinding work
<b>Materials</b>	marble – granite – stones – terrazzo – concrete – plastics – polyester – porcelain – cast iron
<b>Composition</b>	Silicon carbide + resins + mineral charges
<b>Fastening</b>	Fixation with flange - ALWAYS use with backup plate
<b>Machine</b>	Hand polisher
<b>Grits</b>	16, 24, 36, 60, 80, 120
<b>r.p.m máx</b>	8.500 r.p.m



**ABRASIVOS AGUILA**  
stone care products

# Ficha Técnica

## SEMIFLEXIBLE Ø115



The semiflexibles SAGAR®-FLEX are abrasives discs provide a high abrasive ability due to the top-quality raw materials used in their production, enabling them to be used for any kind of grinding and smoothing work in a wide range of industrial applications

<b>Use</b>	Any grinding work
<b>Materials</b>	marble – granite – stones – terrazzo – concrete – plastics – polyester – porcelain – cast iron
<b>Composition</b>	Silicon carbide + resins + mineral charges
<b>Fastening</b>	Fixation with flange - ALWAYS use with backup plate
<b>Machine</b>	Hand polisher
<b>Grits</b>	SC (silicon carbide) 16, 24, 36, 60, 80, 120 SCV (Green silicon carbide) 36, 100, 180
<b>r.p.m máx</b>	8.500 r.p.m